	<u> </u>	· · · · · · · · · · · · · · · · · · ·
	Application No.	Applicant(s)
Al-d'	10/650,047	WATANABE, MASANORI
Notice of Allowability	Examiner	Art Unit
	Delma R. Flores Ruiz	2828
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>08/28/2003</u> .		
2. The allowed claim(s) is/are <u>1-16</u> .		
3. The drawings filed on <u>28 August 2005</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 08/28/2003 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview Summary Paper No./Mail Da 98), 7. Examiner's Amendr	te .

Art Unit: 2828

DETAILED ACTION

Information Disclosure Statement

The information disclosure statement (IDS) submitted on 08/28/2003 has considered by the examiner Flores-Ruiz.

Drawings

The examiner Flores-Ruiz has considered the drawings submitted on 08/28/2003.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Barry Bretschneider on September 14, 2005.

Art Unit: 2828

The application has been amended as follows:

In claim 1 line 5, insert, --(0 \leq p \leq 1) –,"between "(Al_pGa_{1-p})_q In_{1-q}" and "intermediate" and delete "(0 \leq p \leq x).

In claim 8 line 5, insert, --(0 \leq p \leq 1) -,"between "(Al_pGa_{1-p})_q In_{1-q}" and "intermediate" and delete "(0 \leq p \leq x).

Allowable Subject Matter

Claims 1 - 16 are allowed.

The following is an examiner's statement of reasons for allowance: Claim 1 recites a semiconductor laser structure including the specific structure limitation of cladding layer, active layer, intermediate band gap layer, substrate; an oxide layer formed on a surface of the p-type $(Al_pGa_{1-p})_q ln_q P$ intermediate band gap layer in the current non-injection region; a p-type $Al_uGa_{1-u}As$ $(0 \le u \le 1)$ cap layer formed on the p-type $(Al_pGa_{1-p})_q ln_q P$ intermediate band gap layer in the current injection region; and a p-type $Al_vGa_{1-v}As$ $(0 \le u \le 1)$ contact layer formed on the oxide layer and the p-type $Al_uGa_{1-u}As$ cap layer, which is neither anticipated or disclosed nor suggested in any

Art Unit: 2828

piece of available prior art, which is neither anticipated nor obvious over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Delma R. Flores Ruiz whose telephone number is (571) 272-1940. The examiner can normally be reached on M - F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Min Sun Harvey can be reached on (571) -272-1835. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

Art Unit: 2828

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Delma R. Flores Ruiz

Examiner Art Unit 2828

DRFR/MH September 14, 2005 Min Sun Harvey Supervisor Patent Examiner Art Unit 2828